


ORIENTATION



NOZZLE SCHEDULE					
MARK	SIZE	WALL THK.	NOZ. TYPE	RTG-PSI	FUNCTION
A	10"	.365"	RF-SO	150	INLET
B	10"	.365"	RF-SO	150	OUTLET
C	2 1/2"	---	FULL OPLG	3000	DRAIN
D	3/4"	---	HALF OPLG	3000	VENT

- NOTES:
1. FLANGE BOLT HOLES TO STRADDLE VESSEL Q'S.
 2. APPROX. WEIGHT:
 - a. DRY-554 lbs.
 - b. FLOODED(WATER)-1,015 lbs.
 3. UNIT IS PAINTED WITH A HIGH HEAT RESISTANT PAINT, SAFETY BLUE.

CONSTRUCTION	
A.S.M.E. SECTION VIII DIVISION I	
2004 EDITION 2006 ADDENDA	
A.S.M.E. STAMP REQUIRED	
DESIGN SPECIFICATIONS	
NO. OF PASSES	N/A
DES. PRESS.	150 PSI
DES. TEMP.	500 F.
CORR. ALL.	1/16
HYDRO. TEST	195 PSIG
STRESS REL.	NONE REQ'D
RADIOGRAPH	NONE REQ'D
M.D.M.T	-20 F. @ 150 PSI

NO.	DESCRIPTION	BY DATE	NO.	DESCRIPTION	BY DATE
REVISION: 0 DIDION SEPARATOR COMPANY A DIVISION OF DIDION'S MECHANICAL <i>NOT BIGGEST...BEST!</i> PH: (419) 483-2226 FAX: (419) 483-4382 WEB: didionseparator.com e-mail: dmec@didionmech.com					
DESCRIPTION: SEPARATOR DSL-10-150					
DRWN. FAH	DATE: 12/04/01	APPR. DDII	DATE: 12/05/01		
CHK.	DATE:	APPR.	DATE:		
SCALE: 1 1/2"=1'-0"	DRAWING NUMBER		REV.	SHEET	
D.M. NO.	DSL-10-150		0	NO. 1	OF 1
P.O. NO.					

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF DIDION'S MECHANICAL. IT IS CONFIDENTIAL AND IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED ON REQUEST. NEITHER THIS DRAWING NOR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED OR FURNISHED TO OTHERS NOR MAY PHOTOGRAPHS BE TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THIS DRAWING WITHOUT CONSENT OF DIDION'S MECHANICAL.