


ORIENTATION

- NOTES:
1. FLANGE BOLT HOLES TO STRADDLE VESSEL Q'S.
 2. APPROX. WEIGHT:
 - a. DRY-121 lbs.
 - b. FLOODED(WATER)-127 lbs.
 3. UNIT IS PAINTED WITH A HIGH HEAT RESISTANT PAINT, SAFETY BLUE.



SECTION A-A

CONSTRUCTION	
A.S.M.E. SECTION VIII DIVISION I	
2004 EDITION 2006 ADDENDA	
A.S.M.E. [] STAMP REQUIRED	
DESIGN SPECIFICATIONS	
NO. OF PASSES	N/A
DES. PRESS.	300 PSI
DES. TEMP.	500 F.
CORR. ALL.	1/16
HYDRO. TEST	390 PSIG
STRESS REL.	NONE REQ'D
RADIOGRAPH	NONE REQ'D
M.D.M.T	-20 F. @ 300 PSI

NO.	DESCRIPTION	BY DATE	NO.	DESCRIPTION	BY DATE
REVISION: 0 SECTION A-A					
DIDION SEPARATOR COMPANY <small>A DIVISION OF</small> 					
PH: (419) 483-2226 FX: (419) 483-4382			DIDION'S MECHANICAL <i>NOT BIGGEST... BEST!</i> WEB: didionseparator.com e-mail: dmec@didionmech.com		
DESCRIPTION: SEPARATOR MODEL#: DSL-4-300					
DRWN. FAH	DATE: 12/03/01	APPR. DDII	DATE: 12/04/01		
CHK.	DATE:	APPR.	DATE:	REV.	SHEET NO. 1 OF 1
SCALE: 3"=1'-0"			DRAWING NUMBER		
D.M. NO.			DSL-4-300		
P.O. NO.					

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF DIDION'S MECHANICAL. IT IS CONFIDENTIAL AND IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED ON REQUEST. NEITHER THIS DRAWING NOR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED OR FURNISHED TO OTHERS NOR MAY PHOTOGRAPHS BE TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THIS DRAWING WITHOUT CONSENT OF DIDION'S MECHANICAL.